CONTENTS—1954, Nos. 1-4

Ahrenfeldt, Robert H. Identification of the amphibia and reptilia recorded in Jamaica by Hans Sloane (1688–89) (1 fig.)	105
ALLEN, E. Ross, and Wilfred T. Neill	100
Juveniles of Brooks' kingsnake, Lampropeltis getulus brooksi	59
BACKUS, RICHARD H.	
Notes on the frogs and toads of Labrador	226
BACON, EDWARD H.	222
Field characters of prolarvae and alevins of brook, brown and rainbow trout in Michigan (1 pl.) BAILEY, REEVE M.	232
Distribution of the American cyprinid fish Hybognathus hankinsoni with comments on its original	
description (1 fig.)	
BALDAUF, RICHARD J., and REXFORD D. LORD, JR.	
Another noteworthy range extension of the toad Bufo punctatus in Texas	157
Barraclough, W. E.	
A second inshore record of the bathypelagic viperfish Chauliodus macouni	75
Beidleman, Richard Unusual occurrence of the tiger salamander in north-central Colorado	60
Providence A plA and C C D System	
Notes on the herpetology of an Algerian beach	224
BLACK, IRVING H. (See KENNETH L. GOSNER)	
BOSCHUNG, HERBERT T., JR. (See JACK S. BROWN)	
Bragg, Arthur N. (See Jack Bresler)	
Bresler, Jack	
The development of labial teeth of salientian larvae in relation to temperature (1 fig.)	207
Bresler, Jack, and Arthur N. Bragg	
Variations in the rows of labial teeth in tadpoles (1 fig.)	255
Brock, Vernon E. A note on the spawning of Tilapia mossambica in sea water	72
Brock, Vernon E., and Yoshio Yamaguchi	12
The identity of the parrotfish Scarus ahula, the female of Scarus perspicillalus	154
Brown, Jack S., and Herbert T. Boschung, Jr.	
Rana palustris in Alabama	226
BUNKER, NORMAN C. (See BRUCE W. HALSTEAD)	
CAGLE, FRED R.	
A Texas population of the cricketfrog, Acris	
Observations on the life history of the salamander Necturus louisianensis	257
CALEF, ROBERT T. The salamander Ambystoma ligrinum nebulosum in southern Arizona	222
CARPENTER, CHARLES C.	443
A study of amphibian movement in the Jackson Hole Wildlife Park (1 fig.)	197
Carranza, Jorge, and Howard Elliott Winn	
Reproductive behavior of the blackstripe topminnow, Fundulus notatus (1 fig.)	273
Crampon Bours W	
Status of the bronze darter, Hadropterus palmaris	235
Curtin, C. B. (See F. J. Schwartz)	
Daiber, Franklin C.	
An American record for the berycoid fish Gephyroberyx darwini	293
DAY, C. GODFREY (See Frank J. MATHER III)	
DAY, L. R., and H. D. FISHER	20.5
Notes on the great white shark, Carcharodon carcharias, in Canadian Atlantic waters Deroche, Stuart, and Robert Foye	295
First record of the black crappie, Pomoxis nigromaculatus, in Maine	75
DESYLVA, DONALD	
Occurrence of an apparent hybrid mackerel (Scomberomorus) off Miami, Florida	. 231

DILLON, JOHN B. (See GEORGE F. WEISEL)	
DINEEN, CLARENCE F., and PAUL S. STOKELY	
Osteology of the central mudminnow, Umbra limi (8 figs.)	169
DUELLMAN, WILLIAM E.	
The salamander Plethodon richmondi in southwestern Ohio (1 fig.)	
eastern Michigan	156
Duellman, William E., and John T. Wood Size and growth of the two-lined salamander, Eurycea bislineata rivicola (4 figs.)	92
ELLIOTT, OLIVER R. (See A. E. HALL, Jr.)	
FAHY, WILLIAM E.	4 = 7
Loggerhead turtles, Caretta caretta caretta, from North Carolina	157
Definition of some little-understood members of the leptodactylid genus Syrrhophus, with a de-	
scription of a new species.	
FISHER, H. D. (See L. R. DAY)	10
FOYE, ROBERT (See STUART DEROCHE)	
Gordon, Malcolm S.	
The eels of the genus Stilbiscus	11
Gosner, Kenneth L., and Irving H. Black	
Larval development in Bufo woodhousei fowleri and Scaphiopus holbrooki holbrooki (3 figs.)	251
GREEN, DONALD M., and WARREN F. WALKER, JR.	
A northern extension of the range of Plethodon richmondi in Ohio	60
HAGEN, HAROLD K.	
A natural spawn taker	75
HALL, A. E., Jr., and Oliver R. Elliott	
Relationship of length of fish to incidence of sea lamprey scars on white suckers, Catostomus commer-	
soni, in Lake Huron (1 fig.)	
HALL, GORDON E., and ROBERT M. JENKINS	
Notes on the age and growth of the pirateperch, Aphredoderus sayanus, in Oklahoma	69
HALL, GORDON E., and GEORGE A. MOORE	
Oklahoma lampreys: Their characterization and distribution (1 fig.)	127
HALSTEAD, BRUCE W., and NORMAN C. BUNKER	1
A survey of the poisonous fishes of the Phoenix Islands (5 figs.)	1
HALSTEAD, BRUCE W., and ROBERT L. SMITH Presence of an axillary venom gland in the oriental catfish Plotosus lineatus	153
Hawkins, Ann (See Thelma Howell)	133
HECHT, MAX K. (See RICHARD VAN FRANK)	
Hock, Raymond J.	
The alligator in Arizona	222
HOOLIER, D. A.	
Crocodilian remains from the pleistocene of Celebes (1 fig.)	263
Howell, Thelma, and Ann Hawkins	
Variation of topotypes of the salamander Plethodon jordani (2 figs.)	32
Howell, Thomas R.	
The kingsnake Lampropeltis getulus holbrooki preying on the cardinal	224
HUBBS, CARL L. (See ROBERT RUSH MILLER)	
HUBBS, CLARK	
Additional records of clinid fishes, with the description of a new species of Cryptotrema from the Gulf	
of California (2 figs.)	
Nomenciatorial notes on Texas usines of the genus tronopis	
JAMESON, DAVID L.	20
Social patterns in the leptodactylid frogs Syrrhophus and Eleutherodactylus	. 30
JANSON, HARVEY S. Notes on the lizard Eumeces egregius in Georgia	220
Mores on the fixeld Emmeres effection in Ocolding	

JENKII JOHNS The JOSEPH JUDD, Obse

KENEF Obse KNEPT

A no

JURGE:

LADD, I LAGLER Food LARSEN First LATTA, LIEVEN Spaw LINDSA

LIST, J.
LORD, I
LOVERI
Myst

MARCY,
The f

The

MARTON Varia The I MARZON MASSMA Postla

and

gini
MATHEI
North
MATHEI
Obser
McCrai

A new
McCuro
McHugi
The in
Geogr

MEYER, MILLER, Furthe

The so MILLER, MILLER, An eri Cali Moore,

Jenkins, Robert M. (See Gordon E. Hall) Johnson, Richard M.	
The painted turtle, Chrysemys picta picta, in eastern Tennessee. JOSEPHSON, RUTH A. (See EDWARD C. RANEY)	298
JUDD, W. W.	
Observations on the food of the little brownsnake, Storeria dekayi, at London, Ontario JURGENS, KENNETH C.	62
Records of four cyprinid fishes of the genera Notropis and Semotilus from central Texas	155
Records of four cypland fishes of the general tropops and seminars from central reass	133
KENEFICK, JAMES H.	
Observations on egg laying of the tortoise Gopherus polyphemus	228
KNEPTON, JAMES C., Jr. A note on the burrowing habits of the salamander Amphiuma means means	60
A note on the ourrowing habits of the salamander Amphibing means means	00
LADD, ERNEST C. (See WILLIAM H. MASSMANN)	
LAGLER, KARL F., and WILLIAM C. LATTA	
Food conversion of the northern rock bass, Amblophites rupestris, in Michigan	69
First record of the white perch (Morone americana) in Lake Erie	154
LATTA, WILLIAM C. (See KARL F. LAGLER)	101
Lievense, Stanley J.	
Spawning of American smelt, Osmerus mordax, in Crystal Lake, Benzie County, Michigan LINDSAY, HAGUE L., JR.	232
The narrow-mouthed toads Microhyla olivacea and M. carolinensis in northeastern Oklahoma	158
LIST, JAMES C. (See PAUL S. STOKELY)	100
LORD, REXFORD D., JR. (See RICHARD J. BALDAUF)	
LOVERIDGE, A., and B. SHREVE	
Mystery of alleged lizard egg resolved	64
MARCY, DONALD E.	
The food and growth of the white crappie, Pomoxis annularis, in Pymatuning Lake, Pennsylvania	
and Ohio (2 figs.)	236
MARTOF, BERNARD	100
Variation in a large litter of gartersnakes, Thamnophis sirtalis (4 figs.) The barking frog, Hyla gratiusa, in the Cumberland Plateau of Georgia	
Marzolf, Richard C. (See Arthur Witt, Jr.)	137
MASSMANN, WILLIAM H., ERNEST C. LADD and HENRY N. McCutcheon	
Postlarvae and young of the menhaden (Brevoortia tyrannus) in brackish and fresh waters of Vir-	
ginia (1 fig.)	19
MATHER, FRANK J. III Northerly occurrences of warmwater fishes in the western Atlantic	202
MATHER, FRANK J. III, and C. Godfrey Day	494
Observations of pelagic fishes of the tropical Atlantic (2 pls., 1 fig.)	179
McCrady, Edward	
A new species of Gyrinophilus (Plethodontidae) from Tennessee Caves (2 figs.)	200
McCutcheon, Henry N. (See William H. Massmann)	
McHugh, J. L. The influence of light on the number of vertebrae in the grunion, Leuresthes tennis	23
Geographic variation in the Pacific herring (4 figs.)	
MEYER, MARVIN C. (See ROBERT S. RUPP)	
MILLER, MALCOLM R.	
Further observations on reproduction in the lizard Xantusia vigilis	38
MILLER, ROBERT RUSH The southern limit of the garfishes, family Lepisosteidae	220
MILLER, ROBERT RUSH (See Wm. MARKHAM MORTON)	230
MILLER, ROBERT RUSH, and CARL L. HUBBS	
An erroneous record of the California killifish, Fundulus parvipinnis, from Cabo San Lucas, Baja	
California	234
Moore, George A. (See Gordon E. Hall)	

Morrow, James E.	
Data on dolphin, yellowfin tuna and little tuna from East Africa	14
MORTON, WM. MARKHAM, and ROBERT RUSH MILLER	
Systematic position of the lake trout, Salvelinus namaycush (2 pls., 2 figs.)	116
Moski, Henry, Jr.	
A large litter of copperheads (Agkistrodon contortrix mokeson)	67
MOULTON, JAMES M.	
Notes on the natural history, collection and maintenance of the salamander Ambystoma maculatum.	
The sand shark, Carcharias taurus, from Casco Bay, Maine	290
Myers, Charles W. Subspecific identity of Crotalus horridus in Washington County, Missouri	200
Subspecific identity of Crotains normalis in washington county, Missouri	300
Neill, Wilfred T.	
Evidence of venom in snakes of the genera Alsophis and Rhadinaea	59
A new species of frog, genus Nyctimystes, from Papua (1 fig.)	
NEILL, WILFRED T. (See E. ROSS ALLEN)	
NORTHCOTE, THOMAS G.	
Observations on the comparative ecology of two species of fish, Cottus asper and Cottus rhotheus, in	
British Columbia (4 figs.)	25
OELRICH, THOMAS M.	
A horned toad, Phrynosoma cornutum, from the upper pliocene of Kansas (1 pl.)	262
Orton, Grace L.	
Dimorphism in larval mouthparts in spadefoot toads of the Scaphiopus hammondi group	97
Owen, H. Malcolm, and Harry C. Yeatman	
A tiger salamander, Ambystoma tigrinum, from Franklin County, Tennessee	67
Pearson, Oliver P.	
Habits of the lizard Liolaemus multiformis multiformis at high altitudes in Southern Peru (1 pl., 3	
figs.)	111
Perkins, C. B.	000
Longevity of snakes in captivity in the United States as of January 1, 1954	229
D A C	
RAND, A. STANLEY A defense display in the salamander Ambystoma jeffersonianum	222
Variation and predator pressure in an island and a mainland population of lizards	
RANEY, EDWARD C., and RUTH A. JOSEPHSON	200
Record of combat in the snapping turtle, Chelydra serpentina	228
Reed, Roger J.	
Hermaphroditism in the rosyface shiner, Notropis rubellus	293
RICHMOND, NEIL D.	
Variation and sexual dimorphism in hatchlings of the rainbow snake, Abastor erythrogrammus (5 figs.)	87
RIEMER, WILLIAM J.	
A new subspecies of the snake Masticophis lateralis from California (2 figs.)	45
ROELOFS, EUGENE W.	
Food studies of young sciaenid fishes, Micropogon and Leiostomus, from North Carolina	151
Rough, Gaylord E.	
The frequency range of mechanical vibrations perceived by three species of freshwater fish	191
RUPP, ROBERT S., and MARVIN C. MEYER	004
Mortality among brook trout, Salvelinus fontinalis, resulting from attacks of freshwater leeches	294
0 V D	
SCHMIDT, KARL P.	20.4
Omissions from the sixth edition of the Check List of North American Amphibians and Reptiles	304
Schwartz, Albert	296
The salamander Aneides aeneus in South Carolina	290
An unusual condition in the tropical fish Mollienesia lalipinna (1 pl.)	233
SHREVE, B. (See A. LOVERIDGE)	200
SHUTE, C. C. D. (See A. D'A. BELLAIRS)	

SIMPSO Two SMITH, Plei SMITH SPRING Two SQUIRI Rec STEWA A sı STILLE Egg STOKE STOKE The STRAW The STUAR Obse TAVOL A ne Тноми Note THURO A ra TIHEN,

WALKE
WEISEI
A re
bai
WEISEI
Obse

AK

Obse Widnig Defir dy Willia Diffe spe

WINN, WITT, Spaw WOOD,

YAMAG

A new Adap

SIMPSON, DONALD G.	
Two small tarpon from Texas	71
SMITH, C. LAVETT	11
Pleistocene fishes of the Berends fauna of Beaver County, Oklahoma (7 figs.)	282
SMITH, ROBERT L. (See BRUCE W. HALSTEAD)	
Springer, Victor G.	
Two new records of fishes (Palinurichthys, Cheilodipterus) from Florida and the Gulf of Mexico	74
Squires, H. J.	
Records of marine turtles in the Newfoundland area	68
Stewart, George D.	
A small collection of reptiles from central Korea	65
STILLE, W. T.	
Eggs of the salamander Ambystoma jeffersonianum in the Chicago area	300
STOKELY, PAUL S. (See CLARENCE F. DINEEN)	
STOKELY, PAUL S., and JAMES C. LIST	
The progress of ossification in the skull of the cricketfrog Pseudacris nigrita triseriata (5 figs.)	211
STRAWN, KIRK	40.5
The pushnet, a one-man net for collecting in attached vegetation (1 pl., 2 figs.)	195
STUART, GEORGE R.	
Observations on reproduction in the tortoise Gopherus agassizi in captivity	01
TAVOLGA, WILLIAM N.	
A new species of fish of the genus Blennius from Florida (4 figs.)	135
THOMPSON, FRED G.	
Notes on the behavior of the lizard Anolis carolinensis	299
Thurow, Gordon R.	
A range extension of the salamander Gyrinophilus porphyriticus porphyriticus	221
Tihen, J. A.	
A Kansas pleistocene herpetofauna (2 figs.)	217
VAN FRANK, RICHARD, and MAX K. HECHT	
Fossil rattlesnakes of the genus Crotalus from northern Massachusetts	158
WALKER, WARREN F., Jr. (See DONALD M. GREEN)	
Weisel, George F.	
A rediscovered cyprinid hybrid from western Montana, Mylocheilus caurinum × Richardsonius	
balteatus balteatus (1 pl.)	
WEISEL, GEORGE F., and JOHN B. DILLON	
Observations on the pygmy whitefish, Prosopium coulteri, from Bull Lake, Montana (1 pl.)	124
Widrig, T. M.	
Definitions and derivations of various common measures of mortality rates relevant to population	
dynamics of fishes	29
WILLIAMS, GEORGE C.	
Differential vertical distribution of the sexes in Gibbonsia elegans with remarks on two nominal sub-	
species of this fish (1 fig.)	20
WITT, ARTHUR JR., and RICHARD C. MARZOLF	
Spawning and behavior of the longear sunfish, Lepomis megalotis megalotis	189
Wood, John T. (See William E. Duellman)	100
YAMAGUCHI, YOSHIO (See VERNON E. BROCK)	
ZWEIFEL, RICHARD G.	
A new Rana from the Pliocene of California (2 figs.)	85
Adaptation to feeding in the snake Contia tenuis (1 fig.)	29